THE INSTITUTION
OF ELECTRICAL
ENGINEERS

IEE PROCEEDINGS-A

Science, Measurement and Technology

Vol. 139, 1992

Published by
The IEE, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

IEE Proceedings-A

Science, Measurement and Technology

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

Volume 139 1992 UK ISSN 0960–764X

HONORARY EDITORS

Dr. G.W. Chantry (*Information Technology Transfer Consultant*)
Dr. M.J. Cunningham (*University of Manchester*)

Pages in issues of *IEE Proceedings-A*, 1992

Pages	Issue No.	Date
1–44	1	January
45–88	2	March
89–136	3	May
137–212	4	July
213–264	5	September
265–344	6	November

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright, Designs and Patents Act 1988, Part 1, Section 38, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by The Copyright (Librarians and Archivists) (Copying of Copyright Material) Regulations 1989: SI 1989/1212, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $3.00 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0960–764X/92 $3.00 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge.

The telephone number of the IEE London office is 071 240 1871; telex: 261176 IEELDN G; facsimile: 071 240 77 35.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1992: The Institution of Electrical Engineers

Secretary of the IEE: J.C. Williams, PhD, FEng, FIEE
Managing Editor: Gill Wheeler; *Senior Assistant Editor:* Kerry Blewett
Graphics Manager: Maurice Partridge

Typeset by: Santype International Limited, Salisbury, Wiltshire, United Kingdom
Printed by: Unwin Brothers Limited, Old Woking, Surrey, United Kingdom

Index

IEE Proceedings-A
Science, Measurement and Technology

Vol. 139, 1992

ABBREVIATIONS

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata
- s synopsis of a paper published in full in another Part of the IEE Proceedings

Author index

A

Allen, J.E., and Uehara, M. see Uehara, M.
Allen, N.L., Boutlendj, M., Hughes, R.C., Lightfoot, H.A., and Neville, R.B. Analysis and comparison of rod–plane and rod–rod gaps as direct voltage measurement devices p279
Amato, G., Benedetto, G., Boarino, L., Maringelli, M., and Spagnolo, R. Photoacoustic and photothermal deflection spectroscopy of semiconductors p161
Auckland, D.W., Cooper, J.M., and Varlow, B.R. Factors affecting electrical tree testing p9
Auckland, D.W., Kabir, S.M.F., and Varlow, B.R. Effect of barriers on the growth of trees in solid insulation p14

B

Baden Fuller, A.J., Ridler, N.M., Medley, J.C., and Runham, M. see Ridler, N.M.
Bangding, Tau, Jian, Huang, Zejia, Jiang, and Jihui, Yu see Jian, Huang
Bannister, D.J., and Perkins, M. Traceability for on-wafer s-parameter measurements p232
Barber, M.I., and Watson, D.B. see Watson, D.B.
Benedetto, G., Amato, G., Boarino, L., Maringelli, M., and Spagnolo, R. see Amato, G.
Bennett, J.C., Smith, F.C., and Chambers, B. see Smith, F.C.
Benson, F.A., Cudd, P.A., and Tealby, J.M. Leakage from coaxial cables p285
Blanshard, J.M.V., Desai, R.A., Lowery, A.J., Christopoulos, C., Naylor, P., and Gregson, K. see Desai, R.A.
Boarino, L., Amato, G., Benedetto, G., Maringelli, M., and Spagnolo, R. see Amato, G.
Bodger, P.S., MacDonald, S.J., and Elder, P.A. see MacDonald, S.J.
Bolton, H.R., and Dolan, J.E. see Dolan, J.E.
Bond, L.J., and Yang, J. see Yang, J.
Bonwick, W.J., and Hession, P.J. Fast measurement of real and reactive power in three-phase circuits p51
Bosco, G.C., Pogliano, U., and Zago, G. see Pogliano, U.
Bossavit, A. Complementary formulations in steady-state eddy-current theory p265
Boutlendj, M., Allen, N.L., Hughes, R.C., Lightfoot, H.A., and Neville, R.B. see Allen, N.L.

C

Carpenter, C.J. Electromagnetic energy and power in terms of charges and potentials instead of fields d338
Carpenter, C.J. Electromagnetic theory without electric flux p189
Catelani, M.A., Iuculano, G., Mirri, D., Filicori, F., and Menchetti, A. Criterion for the performance analysis of synchronous and asynchronous sampling instruments based on nonlinear processing p141
Chambers, B., Smith, F.C., and Bennett, J.C. see Smith, F.C.
Chang, K.-S., Lu, S.-T., Wu, Y.-P., and Chou, C. Correction algorithms in a laser scanning dimension measurement system p57
Chou, C., Chang, K.-S., Lu, S.-T., and Wu, Y.-P. see Chang, K.-S.
Christopoulos, C., Desai, R.A., Lowery, A.J., Naylor, P., Blanshard, J.M.V., and Gregson, K. see Desai, R.A.
Christopoulos, C., and Hui, S.Y.R. see Hui, S.Y.R.
Clarke, R.N., Johnson, R.H., Green, J.L., Robinson, M.P., and Preece, A.W. see Johnson, R.H.
Clarke, R.N., and Lynch, A.C. see Lynch, A.C.
Collier, R.J., and D'Souza, M.F. Comparison of junctions in both dielectic guides and metallic guides above 75 GHz p226
Cooper, J.M., Auckland, D.W., and Varlow, B.R. see Auckland, D.W.
Cronin, L.B., and Kemp, C.J. Current shunts and resistors in use in NAMAS accredited laboratories p179
Cudd, P.A., Benson, F.A., and Tealby, J.M. see Benson, F.A.

D

D'Souza, M.F., and Collier, R.J. see Collier, R.J.
Dale, B.G., and Shaw, P. Statistical process control in PCB manufacture: what are the lessons? p182
Desai, R.A., Lowery, A.J., Christopoulos, C., Naylor, P., Blanshard, J.M.V., and Gregson, K. Computer modelling of microwave cooking using the transmission-line model p30
Diab, H.B., and Tabbara, H.S. Educational tool for design of parallel processing systems p1
Dolan, J.E. Improved TLM method for the solution of coupled circuit equations p315
Dolan, J.E., and Bolton, H.R. Gyromagnetic interpretation of the magnetisation characteristics of fast-pulsed amorphous tapes p129
Duffy, M.C. Three-phase motor in railway traction p329

E

Elder, P.A., MacDonald, S.J., and Bodger, P.S. see MacDonald, S.J.
Endean, V.G. Electromagnetic field energy containment p137
Excell, P.S. Microwave breakdown in a point-to-plane electrode gap p89

F

Filicori, F., Catelani, M.A., Iuculano, G., Mirri, D., and Menchetti, A. see Catelani, M.A.
Friedrich, M., and Rochotzki, R. see Rochotzki, R.
Fujiwara, T., Yamada, H., and Oka, H. Electro-optical measurement of an induced toroidal electric field in water p84

G

Goodall, R.M., Warren-Forward, M.J., and Pratt, D.J. see Warren-Forward, M.J.
Green, J.L., Johnson, R.H., Robinson, M.P., Preece, A.W., and Clarke, R.N. see Johnson, R.H.
Gregson, K., Desai, R.A., Lowery, A.J., Christopoulos, C., Naylor, P., and Blanshard, J.M.V. see Desai, R.A.

H

Harry, J.E., and Yahya, A.A. Conditions for coalescence of multiple electric discharges p210
Henderson, D., Roddie, A.G., and Smith, A.J.A. Recent developments in the calibration of fast sampling oscilloscopes p254
Hession, P.J., and Bonwick, W.J. see Bonwick, W.J.
Hughes, R.C., Allen, N.L., Boutlendj, M., Lightfoot, H.A., and Neville, R.B. see Allen, N.L.
Hui, S.Y.R., and Christopoulos, C. Discrete transform technique for solving nonlinear circuits and equations p321

I

Iuculano, G., Catelani, M.A., Mirri, D., Filicori, F., and Menchetti, A. see Catelani, M.A.

J

Jian, Huang, Zejia, Jiang, Jihui, Yu, and Bangding, Tau Application of a modified $H - \psi$ method in three-dimensional eddy-current problems p107
Jihui, Yu, Jian, Huang, Zejia, Jiang, and Bangding, Tau see Jian, Huang
Johnson, R.H., Green, J.L., Robinson, M.P., Preece, A.W., and Clarke, R.N. Resonant open ended coaxial line sensor for measuring complex permittivity p261
Jones, N.B., and Loudon, G.H. Classification techniques for the extraction of nonperiodic transients from noise: an application in electromyography p74
Jones, O.C. UK electrical standards: an overview p214

K

Kabir, S.M.F., Auckland, D.W., and Varlow, B.R. see Auckland, D.W.
Kelly, R.G. Students' experiences of a first year engineering course p65
Kemp, C.J., and Cronin, L.B. see Cronin, L.B.

L

Lightfoot, H.A., Allen, N.L., Boutlendj, M., Hughes, R.C., and Neville, R.B. see Allen, N.L.
Loudon, G.H., and Jones, N.B. see Jones, N.B.
Lowery, A.J., Desai, R.A., Christopoulos, C., Naylor, P., Blanshard, J.M.V., and Gregson, K. see Desai, R.A.
Lu, S.-T., Chang, K.-S., Wu, Y.-P., and Chou, C. see Chang, K.-S.
Lucyszyn, S., Magnier, V., Reader, H.C., and Robertson, I.D. Ultrawideband measurement of multiple-port MMICs using nonideal test fixtures and a 2-port ANA p235
Lynch, A.C., and Clarke, R.N. Open resonators: improvement of confidence in measurement of loss p221

M

MacDonald, S.J., Bodger, P.S., and Elder, P.A. Biological cell alignment for electrofusion p112
Magnier, V., Lucyszyn, S., Reader, H.C., and Robertson, I.D. see Lucyszyn, S.
Maringelli, M., Amato, G., Benedetto, G., Boarino, L., and Spagnolo, R. see Amato, G.
Medley, J.C., Ridler, N.M., Baden Fuller, A.J., and Runham, M. see Ridler, N.M.
Menchetti, A., Catelani, M.A., Iuculano, G., Mirri, D., and Filicori, F. see Catelani, M.A.
Mirri, D., Catelani, M.A., Iuculano, G., Filicori, F., and Menchetti, A. see Catelani, M.A.
Mokhtari, H., Nyeck, A., Tosser-Roussey, C., and Tosser-Roussey, A. Finite difference method and Pspice simulation applied to the coaxial cable in a linear temperature gradient p39
Morgan, V.T., and Slaninka, P. see Slaninka, P.

N

Naylor, P., Desai, R.A., Lowery, A.J., Christopoulos, C., Blanshard, J.M.V., and Gregson, K. see Desai, R.A.
Neville, R.B., Allen, N.L., Boutlendj, M., Hughes, R.C., and Lightfoot, H.A. see Allen, N.L.
Nussey, I.D. Chronic disease management supported by informatics: example diabetes p153
Nyeck, A., Mokhtari, H., Tosser-Roussey, C., and Tosser-Roussey, A. see Mokhtari, H.

O

O'Kelly, D. Impact and transient excitation of magnetic plate including hysteresis and eddy-current action p99
Oka, H., Fujiwara, T., and Yamada, H. see Fujiwara, T.

P

Peacock, A.J., and Wheeler, J.C.G. Development of aerial fibre optic cables for operation on 400 kV power lines p304
Perkins, M., and Bannister, D.J. see Bannister, D.J.
Pogliano, U., Bosco, G.C., and Zago, G. Balanced transconductance amplifier for precision comparison of AC/DC thermal current convertors p218
Pratt, D.J., Warren-Forward, M.J., and Goodall, R.M. see Warren-Forward, M.J.
Preece, A.W., Johnson, R.H., Green, J.L., Robinson, M.P., and Clarke, R.N. see Johnson, R.H.

R

Reader, H.C., Lucyszyn, S., Magnier, V., and Robertson, I.D. see Lucyszyn, S.
Reed, I.S. Wave packet with special relativity demonstrating quantum rules, Schrödinger's equation and the propagator integral d343
Ridler, N.M., Medley, J.C., Baden Fuller, A.J., and Runham, M. Computer generated equivalent circuit models for coaxial-line offset open circuits p229
Robertson, I.D., Lucyszyn, S., Magnier, V., and Reader, H.C. see Lucyszyn, S.
Robinson, M.P., Johnson, R.H., Green, J.L., Preece, A.W., and Clarke, R.N. see Johnson, R.H.
Rochotzki, R., and Friedrich, M. Temperature measurements of polymer substrates (PMMA) in an RF discharge p61
Roddie, A.G., Henderson, D., and Smith, A.J.A. see Henderson, D.
Runham, M., Ridler, N.M., Medley, J.C., and Baden Fuller, A.J. see Ridler, N.M.

S

Shaw, P., and Dale, B.G. see Dale, B.G.
Sheshadri, T.S. Current density on cathode surface of MPD thrusters p125
Slaninka, P., and Morgan, V.T. External thermal resistance of power cable in nonuniform soil p117
Smith, A.J.A., Henderson, D., and Roddie, A.G. see Henderson, D.
Smith, F.C., Chambers, B., and Bennett, J.C. Calibration techniques for free space reflection coefficient measurements p247
Soinski, M. Angular dependencies in Fe-based commercial soft magnetic materials p273
Spagnolo, R., Amato, G., Benedetto, G., Boarino, L., and Maringelli, M. see Amato, G.
Spreadbury, P.J. Eight-digit voltage measurements: how meaningful are they? p243

T

Tabbara, H.S., and Diab, H.B. see Diab, H.B.
Tealby, J.M., Benson, F.A., and Cudd, P.A. see Benson, F.A.
Tosser-Roussey, A., Mokhtari, H., Nyeck, A., and Tosser-Roussey, C. see Mokhtari, H.
Tosser-Roussey, C., Mokhtari, H., Nyeck, A., and Tosser-Roussey, A. see Mokhtari, H.

U

Uehara, M., and Allen, J.E. Electromagnetic energy and power in terms of charges and potentials instead of fields p42

V

Varlow, B.R., Auckland, D.W., and Cooper, J.M. see Auckland, D.W.
Varlow, B.R., Auckland, D.W., and Kabir, S.M.F. see Auckland, D.W.

W

Warren-Forward, M.J., Goodall, R.M., and Pratt, D.J. Three-dimensional displacement and force transducer p21
Watson, D.B., and Barber, M.I. Image-processing technique for investigating dielectric breakdown trees p79
Wheeler, C.B. Influence of space charge on field emission of electrons from sharp edges p169
Wheeler, J.C.G., and Peacock, A.J. see Peacock, A.J.
Wu, Y.-P., Chang, K.-S., Lu, S.-T., and Chou, C. see Chang, K.-S.

Y

Yahya, A.A., and Harry, J.E. see Harry, J.E.
Yamada, H., Fujiwara, T., and Oka, H. see Fujiwara, T.
Yang, J., and Bond, L.J. Ultrasonic technique for sizing voids by using area functions p45

Z

Zago, G., Pogliano, U., and Bosco, G.C. see Pogliano, U.
Zejia, Jiang, Jian, Huang, Jihui, Yu, and Bangding, Tau see Jian, Huang
Žlahtič, F. Potential gradient measuring device based on a partial method p174

AMPLIFIERS

Balanced transconductance amplifier for precision comparison of AC/DC thermal current convertors. U. Pogliano, G.C. Bosco and G. Zago p218

ARCING

Analysis and comparison of rod–plane and rod–rod gaps as direct voltage measurement devices. N.L. Allen, M. Boutlendj, R.C. Hughes, H.A. Lightfoot and R.B. Neville p279
Conditions for coalescence of multiple electric discharges. J.E. Harry and A.A. Yahya p210
Temperature measurements of polymer substrates (PMMA) in an RF discharge R. Rochotzki and M. Friedrich p61

BIOLOGICAL EFFECTS

Biological cell alignment for electrofusion. S.J. MacDonald, P.S. Bodger and P.A. Elder p112

BREAKDOWN AND GAS DISCHARGES

Analysis and comparison of rod–plane and rod–rod gaps as direct voltage measurement devices. N.L. Allen, M. Boutlendj, R.C. Hughes, H.A. Lightfoot and R.B. Neville p279
Microwave breakdown in a point-to-plane electrode gap. P.S. Excell p89

CABLES AND OVERHEAD LINES

External thermal resistance of power cable in nonuniform soil. P. Slaninka and V.T. Morgan p117

COAXIAL CABLES

Computer generated equivalent circuit models for coaxial-line offset open circuits. N.M. Ridler, J.C. Medley, A.J. Baden Fuller and M. Runham p229
Leakage from coaxial cables. F.A. Benson, P.A. Cudd and J.M. Tealby p285

COAXIAL COMPONENTS

Finite difference method and Pspice simulation applied to the coaxial cable in a linear temperature gradient. H. Mokhtari, A. Nyeck, C. Tosser-Roussey and A. Tosser-Roussey p39

COMPUTER APPLICATIONS

Chronic disease management supported by informatics: example diabetes. I.D. Nussey p153

COMPUTER SIMULATION

Educational tool for design of parallel processing systems. H.B. Diab and H.S. Tabbara p1

CONVERTORS

Balanced transconductance amplifier for precision comparison of AC/DC thermal current convertors. U. Pogliano, G.C. Bosco and G. Zago p218

DIELECTRIC MATERIALS

Effect of barriers on the growth of trees in solid insulation. D.W. Auckland, S.M.F. Kabir and B.R. Varlow p14

EDDY CURRENTS

Application of a modified $H - \psi$ method in three-dimensional eddy-current problems. Huang Jian, Jiang Zejia, Yu Jihui and Tau Bangding p107
Complementary formulations in steady-state eddy-current theory. A. Bossavit p153
Impact and transient excitation of magnetic plate including hysteresis and eddy-current action. D. O'Kelly p99

EDUCATION AND TRAINING

Educational tool for design of parallel processing systems. H.B. Diab and H.S. Tabbara p1
Students' experiences of a first year engineering course. R.G. Kelly p65

ELECTRICAL MACHINES

Angular dependencies in Fe-based commercial soft magnetic materials. M. Soinski p273

ELECTROMAGNETIC COMPATIBILITY

Leakage from coaxial cables. F.A. Benson, P.A. Cudd and J.M. Tealby p285

ELECTROMAGNETIC THEORY

Application of a modified $H - \psi$ method in three-dimensional eddy-current problems. Huang Jian, Jiang Zejia, Yu Jihui and Tau Bangding p107
Complementary formulations in steady-state eddy-current theory. A. Bossavit p265
Electromagnetic energy and power in terms of charges and potentials instead of fields. M. Uehara and J.E. Allen p42
Electromagnetic field energy containment. V.G. Endean p137
Electromagnetic theory without electric flux. C.J. Carpenter p189
Open resonators: improvement of confidence in measurement of loss. A.C. Lynch and R.N. Clarke p221

ELECTRON DEVICES

Influence of space charge on field emission of electrons from sharp edges. C.B. Wheeler p169

ENGINEERING ADMINISTRATION AND MANAGEMENT

Students' experiences of a first year engineering course. R.G. Kelly p65

FERRITES AND FERROMAGNETICS

Angular dependencies in Fe-based commercial soft magnetic materials. M. Soinski p273
Impact and transient excitation of magnetic plate including hysteresis and eddy-current action. D. O'Kelly p99

HAZARDS

Microwave breakdown in a point-to-plane electrode gap. P.S. Excell p89

HYSTERESIS

Impact and transient excitation of magnetic plate including hysteresis and eddy-current action. D. O'Kelly p99

IMAGE PROCESSING

Image-processing technique for investigating dielectric breakdown trees. D.B. Watson and M.I. Barber p79

INSTRUMENTATION AND MEASURING SCIENCE

Calibration techniques for free space reflection coefficient measurements. F.C. Smith, B. Chambers and J.C. Bennett p247
Criterion for the performance analysis of synchronous and asynchronous sampling instruments based on nonlinear processing. M.A. Catelani, G. Iuculano, D. Mirri, F. Filicori and A. Menchetti p141
Current shunts and resistors in use in NAMAS accredited laboratories. L.B. Cronin and C.J. Kemp p179
Eight-digit voltage measurements: how meaningful are they?. P.J. Spreadbury p243
Electro-optical measurement of an induced toroidal electric field in water. T. Fujiwara, H. Yamada and H. Oka p84
Fast measurement of real and reactive power in three-phase circuits. W.J. Bonwick and P.J. Hession p51
Photoacoustic and photothermal deflection spectroscopy of semiconductors. G. Amato, G. Benedetto, L. Boarino, M. Maringelli and R. Spagnolo p161
Potential gradient measuring device based on a partial method. F. Žlahtič p174
Resonant open ended coaxial line sensor for measuring complex permittivity. R.H. Johnson, J.L. Green, M.P. Robinson, A.W. Preece and R.N. Clarke p261
Three-dimensional displacement and force transducer. M.J. Warren-Forward, R.M. Goodall and D.J. Pratt p21
UK electrical standards: an overview. O.C. Jones p214
Ultrawideband measurement of multiple-port MMICs using nonideal test fixtures and a 2-port ANA. S. Lucyszyn, V. Magnier, H.C. Reader and I.D. Robertson p235

INSULATORS AND INSULATION

Effect of barriers on the growth of trees in solid insulation. D.W. Auckland, S.M.F. Kabir and B.R. Varlow p14
Factors affecting electrical tree testing. D.W. Auckland, J.M. Cooper and B.R. Varlow p9

LASERS

Correction algorithms in a laser scanning dimension measurement system. K.-S. Chang, S.-T. Lu, Y.-P. Wu and C. Chou p57

LIGHTNING AND LIGHTNING PROTECTION

Electromagnetic field energy containment. V.G. Endean p137

MAGNETIC FIELDS

Electromagnetic energy and power in terms of charges and potentials instead of fields. M. Uehara and J.E. Allen p42
Gyromagnetic interpretation of the magnetisation characteristics of fast-pulsed amorphous tapes. J.E. Dolan and H.R. Bolton p129

MANUFACTURING

Statistical process control in PCB manufacture: what are the lessons?. B.G. Dale and P. Shaw p182

MATHEMATICAL TECHNIQUES

Correction algorithms in a laser scanning dimension measurement system. K.-S. Chang, S.-T. Lu, Y.-P. Wu and C. Chou p57
Criterion for the performance analysis of synchronous and asynchronous sampling instruments based on nonlinear processing. M.A. Catelani, G. Iuculano, D. Mirri, F. Filicori and A. Menchetti p141
Discrete transform technique for solving nonlinear circuits and equations. S.Y.R. Hui and C. Christopoulos p321
Electromagnetic energy and power in terms of charges and potentials instead of fields. M. Uehara and J.E. Allen p42
Improved TLM method for the solution of coupled circuit equations. J.E. Dolan p315

MICROWAVE HEATING

Computer modelling of microwave cooking using the transmission-line model. R.A. Desai, A.J. Lowery, C. Christopoulos, P. Naylor, J.M.V. Blanshard and K. Gregson p30

MICROWAVE INTEGRATED CIRCUITS

Ultrawideband measurement of multiple-port MMICs using nonideal test fixtures and a 2-port ANA. S. Lucyszyn, V. Magnier, H.C. Reader and I.D. Robertson p235

NETWORKS

Traceability for on-wafer s-parameter measurements. D.J. Bannister and M. Perkins p232

NOISE AND INTERFERENCE

Classification techniques for the extraction of nonperiodic transients from noise: an application in electromyography. N.B. Jones and G.H. Loudon p74

NONDESTRUCTIVE TESTING

Ultrasonic technique for sizing voids by using area functions. J. Yang and L.J. Bond p45

OPTICAL CABLES

Development of aerial fibre optic cables for operation on 400 kV power lines. A.J. Peacock and J.C.G. Wheeler p304

OPTOELECTRONICS

Recent developments in the calibration of fast sampling oscilloscopes. D. Henderson, A.G. Roddie and A.J.A. Smith p254

PERMITTIVITY

Resonant open ended coaxial line sensor for measuring complex permittivity. R.H. Johnson, J.L. Green, M.P. Robinson, A.W. Preece and R.N. Clarke p261

PLASMAS

Current density on cathode surface of MPD thrusters. T.S. Sheshadri p125
Electromagnetic field energy containment. V.G. Endean p137
Temperature measurements of polymer substrates (PMMA) in an RF discharge. R. Rochotzki and M. Friedrich p61

POWER ELECTRONICS

Fast measurement of real and reactive power in three-phase circuits. W.J. Bonwick and P.J. Hession p51

POWER SYSTEMS AND PLANT

Potential gradient measuring device based on a partial method. F. Žlahtič p174

POWER TRANSMISSION AND DISTRIBUTION

External thermal resistance of power cable in nonuniform soil. P. Slaninka and V.T. Morgan p117

RAILWAY ELECTRIFICATION AND TRANSPORTATION

Three-phase motor in railway traction. M.C. Duffy p329

SEMICONDUCTOR DEVICES AND MATERIALS

Photoacoustic and photothermal deflection spectroscopy of semiconductors. G. Amato, G. Benedetto, L. Boarino, M. Maringelli and R. Spagnolo p161

SIMULATION

Computer modelling of microwave cooking using the transmission-line model. R.A. Desai, A.J. Lowery, C. Christopoulos, P. Naylor, J.M.V. Blanshard and K. Gregson p30
Discrete transform technique for solving nonlinear circuits and equations. S.Y.R. Hui and C. Christopoulos p321
Finite difference method and Pspice simulation applied to the coaxial cable in a linear temperature gradient. H. Mokhtari, A. Nyeck, C. Tosser-Roussey and A. Tosser-Roussey p39
Impact and transient excitation of magnetic plate including hysteresis and eddy-current action. D. O'Kelly p99
Improved TLM method for the solution of coupled circuit equations. J.E. Dolan p315

SONICS AND ULTRASONICS

Ultrasonic technique for sizing voids by using area functions. J. Yang and L.J. Bond p45

TRANSDUCERS

Three-dimensional displacement and force transducer. M.J. Warren-Forward, R.M. Goodall and D.J. Pratt p21

TRANSIENTS

Classification techniques for the extraction of nonperiodic transients from noise: an application in electromyography. N.B. Jones and G.H. Loudon p74

WAVEGUIDES AND WAVEGUIDE COMPONENTS

Comparison of junctions in both dielectic guides and metallic guides above 75 GHz. R.J. Collier and M.F. D'Souza p226